

I claim:

- Sub A-4
1. An elongated wringable pad comprising a cover and an absorbent material in the cover, at least one rectangular piece forming the cover, plural holes in the piece, the pad being of sufficient length to wring-out contents of the pad by twisting along the length of the pad.
  2. The pad of claim 1, wherein the holes are die-cut holes.
  3. The pad of claim 1, wherein the holes are punched holes.
  4. The pad of claim 1, wherein the holes are spaced on one-half inch centers of the cover.
  5. The pad of claim 1, wherein the absorbent material is an elongated poly sponge.
  6. The pad of claim 1, wherein the at least one piece is at least one rectangular sheet.
  7. The pad of claim 6, wherein the at least one rectangular sheet has opposite end-edges and side-edges.
  8. The pad of claim 7, further comprising a pocket formed by joints along the side-edges and/or end-edges of the at least one rectangular sheet for receiving and holding the absorbent material in the pocket.
  9. The pad of claim 8, wherein the joints are seams formed by stitches.
  10. The pad of claim 9, wherein the pocket has the seams inward facing and smooth outer surfaces.

11. The pad of claim 7, wherein the at least one rectangular sheet has folds between the end-edges about an axis forming a pocket having equal halves joined together along the side-edges.

12. The pad of claim 7, wherein the at least one rectangular sheet has folds between the side-edges about an axis forming a pocket having equal halves joined together along the end-edges.

13. The pad of claim 7, wherein the at least one rectangular sheet has folds medially along one side-edge and one end-edge forming a pocket having the opposite side-edges joined to each other.

14. The pad of claim 7, wherein the at least one rectangular sheet has folds medially along one end-edge forming a pocket having the opposite side-edges joined together.

15. The pad of claim 6, wherein a length of the cover is about thirty seven and three-quarter inches and a width is about six and one-quarter inches.

16. The pad of claim 6, wherein a length of the cover is about eighteen and three-quarter inches and a width is about twelve and one-half inches.

17. The pad of claim 1, wherein the at least one piece is a chamois piece.

18. The pad of claim 1, further comprising plural pieces forming the cover.

19. The pad of claim 18, wherein the plural pieces are

chamois piec s.

20. The pad of claim 19, wherein the chamois is sheep-skin chamois.

21. The pad of claim 18, wherein the plural pieces are of man-made chamois-like cloth material.

22. The pad of claim 18, wherein the plural pieces are at least four pieces forming the cover.

23. The pad of claim 22, wherein the pieces are rectangular pieces.

24. The pad of claim 23, wherein each piece is about nine and one-half inches in length.

25. The pad of claim 23, wherein each piece is about six and one-quarter inches wide.

26. The pad of claim 23, wherein the pieces are of chamois material.

27. The pad of claim 23, further comprising connections for connecting the four pieces of chamois.

28. The pad of claim 27, wherein the connections are stitched seams.

29. The pad of claim 28, wherein the seams are formed along side-edges and end-edges of the at least four rectangular pieces positioned as paired-pieces placed on top of one another for alignment of the side-edges and end-edges for receiving stitches to join each of a pair of two smaller rectangular pieces to the other.

30. The pad of claim 28, wherein the seams are formed along

two longer parallel side-edges and one end-edge.

31. The pad of claim 30, further comprising a pocket formed by the stitched seams.

32. The pad of claim 31, wherein the pocket has the connections facing inwards and smooth outer surfaces after turning the pocket inside-out.

33. The pad of claim 32, wherein the absorbent material is an elongated poly sponge inserted into the pocket.

34. The pad of claim 28, wherein the at least four pieces with the seams form a pair of elongated pieces of chamois with outward facing seams in a center of an elongated sheet of chamois formed by the connections of the four pieces together prior to insertion of the absorbent material.

35. The pad of claim 34, further comprising a pocket formed when the at least four pieces joined by the seams are turned inside-out, and wherein the pocket has the seams facing inwards and smooth outer surfaces.

36. The pad of claim 1, wherein the cover is a pocket having inward facing joints and smooth outer surfaces with the holes.

37. The pad of claim 36, wherein the cover completely covers the absorbent material and edges of the at least one piece are joined together to prevent the absorbent from slipping out of the pocket.

38. The pad of claim 36, wherein at least one of the edges joined together has outward facing seams.